

爲了下一代 請使用節能環保照明設備 For the next generation,use enery saving lighting electrical.  
愛地球 愛節能 LED燈來幫您! Love our earth,love energy-saving,LED lights to Guide you.



# LED PRODUCTS LED 節能照明系列

通過國家級檢驗 更省電 更明亮 更穩定  
Pass the regulation of government and more saving  
brighter and stable



臺灣地址: 104臺北市龍江路147號6樓之1  
ADD: 6F-1, Number 147,Lung Chiang Road,Taipei,Taiwan,R.O.C.  
TEL: 02-2716-3720 FAX:02-2717-2364  
WED: <http://www.topwant.com.tw>  
大陸地址: 深圳市寶安區沙井民主豐民路民主西部工業園E區二期A1棟4樓  
ADD: 4F A1,Tower2,Industrial District E,Min Zhu FengMin Road Sha  
Jing Zhen.Baoan Shenzhen,China  
TEL: 0755-61532101 FAX: 0755-27720716  
WED: <http://www.dbtsz.com>

旺辰實業股份有限公司  
TOP WANT ELECTRONIC CO.,LTD  
深圳迪博特電子科技有限公司  
SHENZHEN D BO TELL ELECTRONIC TECHNOLOGY CO.,LTD

合作伙伴召集中 4007779778 (中國大陸) 0800616666 (臺灣)





TOP WANT ELECTRONIC CO.,LTD

公司簡介

深圳迪博特電子科技有限公司是臺灣旺辰實業股份有限公司屬下的一個企業。而旺辰實業股份有限公司屬於旺旺集團的關係企業之一。

深圳迪博特電子科技有限公司總部設在中國臺灣，生產及銷售設於廣東深圳市。深圳迪博特電子科技有限公司是一家集LED光源器件、LED工程照明、LED景觀照明、LED室內照明等LED半導體照明系列產品的研發、生產、銷售為一體的大型LED半導體照明科技有限公司。

深圳迪博特電子科技有限公司的成立是以“環保節能，保護地球”為宗旨，在節能照明領域不斷開拓創新，開發出一系列優質的LED照明產品。近年來，公司為了提高自身的競爭能力，不惜投入大量資金開設自己的實驗室，大量招聘相關專業技術的高級人才。為了能將LED產品進一步完善和創新，目前公司已擁有強大的產品研發團隊，其中95%以上成員擁有大學以上學歷，成員廣泛涉及光學、電子、機械、工程、編程、設計、能源等專業領域，每位成員均是專業領域中的精英人才。

公司一直以“質量就是生命”為辦廠理念，工廠全面按照ISO9001質量管理體系執行管理，並順利通過相關認證。生產設備採用行業內最為先進的國外貼片設備，在產品質量和精密性上均能達到國際標準。公司所生產的每一件產品都經過層層質量把關，保證每一件產品都能合格出廠。由於我司產品質量過硬，有幸成為旺旺集團的長期LED光管供應商，現國內旺旺集團所有工廠和所屬分公司及相關事業部門均全面採用我司LED照明產品。

展望未來！深圳迪博特電子科技有限公司將全力以赴，將LED照明產業做上一個新的臺階。為中國的節能事業盡最大的貢獻！節約環保是每一個地球人應該盡的責任和義務，而迪博特人更會盡心盡力，成為LED節能照明的先鋒！將LED產品送進中國的每一個家庭。



## Company Introduction

Shenzhen D Bo Tell Electronic Technology Co., Ltd is under TOP WANT electronic Co., Ltd of Taiwan . And TOP WANT electronic Co., Ltd. is one of the Want- Want Group affiliates.

Shenzhen D Bo Tell Electronic Technology Co., Ltd. based in China Taiwan, production and sales located in Shenzhen City, Guangdong. Shenzhen D BoTell Electronic Technology Co., Ltd. is a collection of LED lighting devices, LED work light, LED landscape lighting, LED interior lighting, LED semiconductor lighting products such as research and development, production, sales as one large LED semiconductor lighting technology CO., Ltd.

Electronic Technology Co., Ltd. Shenzhen D BoTell is the establishment of "green energy, protect the earth" for the purpose of the pioneering and innovative energy-saving lighting in the area, developed a series of high-quality LED lighting products. In recent years, the company to raise its own competitiveness, have invested to open his own laboratory, a large number of related professional and technical recruiting top talent. To be able to further improve LED products and innovation, the company has strong product development team, the members of which 95% have university education, members of the extensive coverage of optical, electronic, mechanical, engineering, programming, design, energy and other professional fields, Each members are professional talents in the field.

The company has "quality is life" philosophy for the factories, the factory fully in accordance with ISO9001 quality management system implementation management, and passed the relevant certification. Production equipment using the industry's most advanced chip equipment from abroad, in the quality and precision can meet international standards. Produced by the company through the layers of each product quality control to ensure that each product to pass the factory. As our product quality, Want- Want Group honor to be a long-term supplier of LED light are all the factories of domestic Want- Want Group and their respective subsidiaries and related business sectors are fully used our LED lighting products.

Looking to the future! Shenzhen D BoTell Electronic Technology Co., Ltd. will go all out to cook the LED lighting industry to a new level. The cause of China's best contribution to energy conservation! Environmental protection is a global savings every person should do the responsibilities and obligations, and Di Bo Tell dedicated people will become the vanguard of LED energy efficient lighting! LED products will be sent to every family in China.


SHENZHEN D BO TELL ELECTRONIC TECHNOLOGY CO., LTD







# 權威認證 Certifications



19至22 LED日光燈管系列  
Fluorescent tubes series



07至08 LED球泡燈系列  
Bulbs Series



11至12 LED插拔燈系列  
Inserted lamp series



13至16 LED射燈系列  
Shoot the light series



09至10 LED蠟燭燈系列  
Candle lights series



17至18 LED吸頂燈系列  
Absorb dome light series

## 產品索引 Product index



# LED 球泡燈系列 LED Light Bulb Series

通過國家級檢驗 更省電 更明亮 更穩定  
Pass the regulation of government and more saving brighter and stable



Model 產品型號: LEDB03  
Lampholders model 燈頭型號: E26/E27  
Product size(Φ×L) 尺寸規格: 61×113mm  
Input voltage 輸入電壓: AC85~260V  
Power 功率: 4W  
LED category LED類別: SMD5050  
LED quantity LED數量: 3pcs  
Light color optional: warm white/are white /cold white  
光顏色可選: 暖白/正白/冷白  
Color temperature 色溫: 2800~3500K/4500~5500K  
/6500~7500K  
Luminous flux 光通量: 195~245Lm  
LED view angle 發光角度: 170°  
Shell 外殼: PC94V0  
Chimney materials 燈罩材料: PC/Glass PC/玻璃  
Working temperature 工作溫度: -30~50°C  
Life time 使用壽命: 25000h



Model 產品型號: LEDB03S  
Lampholders model 燈頭型號: E26/E27  
Product size(Φ×L) 尺寸規格: 61×110mm  
Input voltage 輸入電壓: AC85~260V  
Power 功率: 3.4W  
LED category LED類別: SMD3020  
LED quantity LED數量: 50pcs  
Light color optional: warm white/are white /cold white  
光顏色可選: 暖白/正白/冷白  
Color temperature 色溫: 2800~3500K/4500~5500K  
/6500~7500K  
Luminous flux 光通量: 210~310Lm  
LED view angle 發光角度: 170°  
Shell 外殼: PC94V0  
Chimney materials 燈罩材料: PC/Glass PC/玻璃  
Working temperature 工作溫度: -30~50°C  
Life time 使用壽命: 25000h



Model 產品型號: LEDB05  
Lampholders model 燈頭型號: E26/E27  
Product size(Φ×L) 尺寸規格: 61×110mm  
Input voltage 輸入電壓: AC85~260V  
Power 功率: 5.5W  
LED category LED類別: SMD5050  
LED quantity LED數量: 5pcs  
Light color optional: warm white/are white /cold white  
光顏色可選: 暖白/正白/冷白  
Color temperature 色溫: 2800~3500K/4500~5500K  
/6500~7500K  
Luminous flux 光通量: 320~405Lm  
LED view angle 發光角度: 170°  
Shell 外殼: PC94V0  
Chimney materials 燈罩材料: PC/Glass PC/玻璃  
Working temperature 工作溫度: -30~50°C  
Life time 使用壽命: 25000h



Model 產品型號: LEDB05  
Lampholders model 燈頭型號: E26/E27  
Product size(Φ×L) 尺寸規格: 60×115mm  
Input voltage 輸入電壓: AC85~240V  
Power 功率: 6.2W  
LED category LED類別: SMD5050/1W  
LED quantity LED數量: 5pcs  
Light color optional: warm white/are white /cold white  
光顏色可選: 暖白/正白/冷白  
Color temperature 色溫: 2800~3500K/4500~5500K  
/6500~7500K  
Luminous flux 光通量: 320~405Lm  
LED view angle 發光角度: 170°  
Shell 外殼: PC94V0  
Chimney materials 燈罩材料: PC/Glass PC/玻璃  
Working temperature 工作溫度: -30~50°C  
Life time 使用壽命: 25000h



Model 產品型號: LEDB07  
Lampholders model 燈頭型號: E26/E27  
Product size(Φ×L) 尺寸規格: 70×130mm  
Input voltage 輸入電壓: AC85~240V  
Power 功率: 8.3W  
LED category LED類別: SMD5050/1W  
LED quantity LED數量: 7pcs  
Light color optional: warm white/are white /cold white  
光顏色可選: 暖白/正白/冷白  
Color temperature 色溫: 2800~3500K/4500~5500K  
/6500~7500K  
Luminous Flux 光通量: 450~565Lm  
LED view angle 發光角度: 170°  
Shell 外殼: PC94V0  
Chimney materials 燈罩材料: PC/Glass PC/玻璃  
Working emperature 工作溫度: -30~50°C  
Life time 使用壽命: 25000h



Model 產品型號: LEDB07  
Lampholders model 燈頭型號: E26/E27  
Product size(Φ×L) 尺寸規格: 61×110mm  
Input voltage 輸入電壓: AC85~260V  
Power 功率: 7.6W  
LED category LED類別: SMD5050  
LED quantity LED數量: 7pcs  
Light color optional: warm white/are white /cold white  
光顏色可選: 暖白/正白/冷白  
Color temperature 色溫: 2800~3500K/4500~5500K  
/6500~7500K  
Luminous Flux 光通量: 450~565Lm  
LED view angle 發光角度: 170°  
Shell 外殼: PC94V0  
Chimney materials 燈罩材料: PC/Glass PC/玻璃  
Working emperature 工作溫度: -30~50°C  
Life time 使用壽命: 25000h





Model 產品型號: LEDW01  
Lamp holders model 燈頭型號: E26/E27  
Product size(Φ×L) 尺寸規格: 38×104mm  
Input voltage 輸入電壓: AC85~240V  
Power 功率: 2W  
LED category LED類別: SMD5050  
LED quantity LED數量: 1pcs  
Light color optional: warm white/are white /cold white  
光顏色可選: 暖白/正白/冷白  
Color temperature 色溫: 2800~3500K/4500~5500K  
/6500~7500K  
Luminous flux 光通量: 60Lm  
LED view angle 發光角度: 250°  
Shell 外殼: PC94V0  
Chimney materials 燈罩材料: PC/Glass PC/玻璃  
Working temperature 工作溫度: -30~50℃  
Life time 使用壽命: 25000h



Model 產品型號: LEDW01  
Lamp holders model 燈頭型號: E14  
Product size(Φ×L) 尺寸規格: 38×103mm  
Input voltage 輸入電壓: AC85~240V  
Power 功率: 2W  
LED category LED類別: SMD5050  
LED quantity LED數量: 1pcs  
Light color optional: warm white/are white /cold white  
光顏色可選: 暖白/正白/冷白  
Color temperature 色溫: 2800~3500K/4500~5500K  
/6500~7500K  
Luminous flux 光通量: 60Lm  
LED view angle 發光角度: 250°  
Shell 外殼: PC94V0  
Chimney materials 燈罩材料: PC/Glass PC/玻璃  
Working temperature 工作溫度: -30~50℃  
Life time 使用壽命: 25000h



Model 產品型號: LEDW03  
Lamp holders model 燈頭型號: E14  
Product size(Φ×L) 尺寸規格: 38×103mm  
Input voltage 輸入電壓: AC85~240V  
Power 功率: 2.2W  
LED category LED類別: SMD3528  
LED quantity LED數量: 26pcs  
Light color optional: warm white/are white /cold white  
光顏色可選: 暖白/正白/冷白  
Color temperature 色溫: 2800~3500K/4500~5500K  
/6500~7500K  
Luminous flux 光通量: 135Lm  
LED view angle 發光角度: 250°  
Shell 外殼: PC94V0  
Chimney materials 燈罩材料: PC/Glass PC/玻璃  
Working temperature 工作溫度: -30~50℃  
Life time 使用壽命: 25000h





# LED 插拔燈系列 LED PLC Lamp Series

通過國家級檢驗 更省電 更明亮 更穩定  
Pass the regulation of government and more saving brighter and stable



Model 產品型號: LEDC05  
Lampholders model 燈頭型號: E26/E27  
Product size(Φ×L) 尺寸規格: 40×155mm  
Input voltage 輸入電壓: AC100~230V  
Power 功率: 4.5W  
LED category LED類別: SMD3528  
LED quantity LED數量: 78pcs  
Light color optional: warm white/are white /cold white  
光顏色可選: 暖白/正白/冷白  
Color temperature 色溫: 2800~3500K/4500~5500K  
/6500~7500K  
Luminous flux 光通量: 370~480Lm  
LED view angle 發光角度: 110°  
Shell 外殼: PC94V0  
Chimney materials 燈罩材料: PC94V0  
Working temperature 工作溫度: -30~50°C  
Life time 使用壽命: 35000h



Model 產品型號: LEDC05  
Lampholders model 燈頭型號: GU24  
Product size(Φ×L) 尺寸規格: 40×155mm  
Input voltage 輸入電壓: AC100~230V  
Power 功率: 4.5W  
LED category LED類別: SMD3528  
LED quantity LED數量: 78pcs  
Light color optional: warm white/are white /cold white  
光顏色可選: 暖白/正白/冷白  
Color temperature 色溫: 2800~3500K/4500~5500K  
/6500~7500K  
Luminous flux 光通量: 370~480Lm  
LED view angle 發光角度: 110°  
Shell 外殼: PC94V0  
Chimney materials 燈罩材料: PC94V0  
Working temperature 工作溫度: -30~50°C  
Life time 使用壽命: 35000h

## LED 玉米燈 Maize lamp series



Model 產品型號: LEDC08  
Lampholders model 燈頭型號: E26/E27  
Product size(Φ×L) 尺寸規格: 56×125mm  
Input voltage 輸入電壓: AC100~230V  
Power 功率: 7.5W  
LED category LED類別: SMD3528  
LED quantity LED數量: 112pcs  
Light color optional: warm white/are white /cold white  
光顏色可選: 暖白/正白/冷白  
Color temperature 色溫: 2800~3500K/4500~5500K  
/6500~7500K  
Luminous flux 光通量: 535~690Lm  
LED view angle 發光角度: 300°  
Shell 外殼: PC94V0  
Chimney materials 燈罩材料: PC94V0  
Working temperature 工作溫度: -30~50°C  
Life time 使用壽命: 25000h





# LED 射燈系列 LED Spot Light Series

通過國家級檢驗 更省電 更明亮 更穩定  
Pass the regulation of government and more saving brighter and stable



Model 產品型號: LEDS03  
Lampholders model 燈頭型號: MR16  
Product size(Φ×L) 尺寸規格: 47×47mm  
Input voltage 輸入電壓: AC/DC/12V  
Power 功率: 4.5W  
LED category LED類別: SMD5050  
LED quantity LED數量: 3pcs  
Light color optional: warm white/are white /cold white  
光顏色可選: 暖白/正白/冷白  
Color temperature 色溫: 2800~3500K/4500~5500K  
/6500~7500K  
Luminous flux 光通量: 130Lm  
LED view angle 單束發光角度: 45°  
Shell 外殼: PC94V0+壓鑄鋁 Die casting aluminum  
Chimney materials 燈罩材料: PMMA  
Working temperature 工作溫度: -30~50℃  
Life time 使用壽命: 25000h



Model 產品型號: LEDS03  
Lampholders model 燈頭型號: MR16  
Product size(Φ×L) 尺寸規格: 47×47mm  
Input voltage 輸入電壓: AC12V  
Power 功率: 4.5W  
LED category LED類別: 1W  
LED quantity LED數量: 3pcs  
Light color optional: warm white/are white /cold white  
光顏色可選: 暖白/正白/冷白  
Color temperature 色溫: 2800~3500K/4500~5500K  
/6500~7500K  
Luminous flux 光通量: 320Lm  
LED view angle 發光角度: 25°  
Shell 外殼: PC94V0+壓鑄鋁 Die casting aluminum  
Chimney materials 燈罩材料: PMMA  
Working temperature 工作溫度: -30~50℃  
Life time 使用壽命: 25000h

Model 產品型號: LEDS03  
Lampholders model 燈頭型號: E26/E27  
Product size(Φ×L) 尺寸規格: 47×66mm  
Input voltage 輸入電壓: AC100~230V  
Power 功率: 4.5W  
LED category LED類別: SMD5050  
LED quantity LED數量: 3pcs  
Light color optional 光顏色可選: 暖白/正白/冷白  
Color temperature 色溫: 2800~3500K/4500~5500K  
/6500~7500K  
Luminous flux 光通量: 130Lm  
LED view angle 單束發光角度: 45°  
Shell 外殼: PC94V0+壓鑄鋁  
Chimney materials 燈罩材料: PMMA  
Working temperature 工作溫度: -30~50℃  
Life time 使用壽命: 25000h





# LED 射燈系列 LED Spot Light Series

通過國家級檢驗 更省電 更明亮 更穩定  
Pass the regulation of government and more saving brighter and stable



Model 產品型號: LE DS05  
Lampholders model 燈頭型號: E26/E27  
Product size(Φ×L) 尺寸規格: 95×98mm  
Input voltage 輸入電壓: AC85~260V  
Power 功率: 6.3W  
LED category LED類別: SMD5050  
LED quantity LED數量: 5pcs  
Light color optional: warm white/are white /cold white  
光顏色可選: 暖白/正白/冷白  
Color temperature 色溫: 2800~3500K/4500~5500K  
/6500~7500K  
Luminous flux 光通量: 394Lm  
LED view angle 單束發光角度: 45°  
Shell 外殼: PC94V0+壓鑄鋁 Die casting aluminum  
Chimney materials 燈罩材料: PMMA  
Working temperature 工作溫度: -30~50℃  
Life time 使用壽命: 25000h



Model 產品型號: LE DS07  
Lampholders model 燈頭型號: E26/E27  
Product size(Φ×L) 尺寸規格: 95×98mm  
Input voltage 輸入電壓: AC85~260V  
Power 功率: 8.4W  
LED category LED類別: SMD5050  
LED quantity LED數量: 7pcs  
Light color optional: warm white/are white /cold white  
光顏色可選: 暖白/正白/冷白  
Color temperature 色溫: 2800~3500K/4500~5500K  
/6500~7500K  
Luminous flux 光通量: 517Lm  
LED view angle 單束發光角度: 45°  
Shell 外殼: PC94V0+壓鑄鋁 Die casting aluminum  
Chimney materials 燈罩材料: PMMA  
Working temperature 工作溫度: -30~50℃  
Life time 使用壽命: 25000h



Model 產品型號: LE DS09  
Lampholders model 燈頭型號: E26/E27  
Product size(Φ×L) 尺寸規格: 121×123mm  
Input voltage 輸入電壓: AC85~260V  
Power 功率: 10.5W  
LED category LED類別: SMD5050  
LED quantity LED數量: 9pcs  
Light color optional: warm white/are white /cold white  
光顏色可選: 暖白/正白/冷白  
Color temperature 色溫: 2800~3500K/4500~5500K  
/6500~7500K  
Luminous flux 光通量: 685Lm  
LED view angle 單束發光角度: 45°  
Shell 外殼: PC94V0+壓鑄鋁 Die casting aluminum  
Chimney materials 燈罩材料: PMMA  
Working temperature 工作溫度: -30~50℃  
Life time 使用壽命: 25000h



Model 產品型號: LE DS12  
Lampholders model 燈頭型號: E26/E27  
Product size(Φ×L) 尺寸規格: 121×123mm  
Input voltage 輸入電壓: AC85~260V  
Power 功率: 12.9W  
LED category LED類別: SMD5050  
LED quantity LED數量: 12pcs  
Light color optional: warm white/are white /cold white  
光顏色可選: 暖白/正白/冷白  
Color temperature 色溫: 2800~3500K/4500~5500K  
/6500~7500K  
Luminous flux 光通量: 800Lm  
LED view angle 單束發光角度: 45°  
Shell 外殼: PC94V0+壓鑄鋁 Die casting aluminum  
Chimney materials 燈罩材料: PMMA  
Working temperature 工作溫度: -30~50℃  
Life time 使用壽命: 25000h





# LED 吸頂燈系列 LED Ceiling Light Series

通過國家級檢驗 更省電 更明亮 更穩定  
Pass the regulation of government and more saving brighter and stable




Model 產品型號: LEDD06  
Product size(Φ×L) 尺寸規格: 60×170mm  
Input voltage 輸入電壓: AC100~240V  
Power 功率: 6.5W  
LED category LED類別: SMD3528  
LED quantity LED數量: 100pcs  
Light color optional: warm white/are white /cold white  
光顏色可選: 暖白/正白/冷白  
Color temperature 色溫: 2800~3500K/4500~5500K  
/6500~7500K  
Luminous flux 光通量: 430~550Lm  
LED view angle 發光角度: 100°  
Shell 外殼: PC94V0+鋁 Aluminum  
Chimney materials 燈罩材料: PC/Glass PC/玻璃  
Inset hole size 嵌孔尺寸: Φ140mm  
Working temperature 工作溫度: -30~50℃  
Life time 使用壽命: 35000h



Model 產品型號: LEDD10  
Product size(Φ×L) 尺寸規格: 60×200mm  
Input voltage 輸入電壓: AC100~230V  
Power 功率: 10.5W  
LED category LED類別: SMD3528  
LED quantity LED數量: 140pcs  
Light color optional: warm white/are white /cold white  
光顏色可選: 暖白/正白/冷白  
Color temperature 色溫: 2800~3500K/4500~5500K  
/6500~7500K  
Luminous flux 光通量: 595~775Lm  
LED view angle 發光角度: 100°  
Shell 外殼: PC94V0+鋁 Aluminum  
Chimney materials 燈罩材料: PC/Glass PC/玻璃  
Inset hole size 嵌孔尺寸: Φ170mm  
Working temperature 工作溫度: -30~50℃  
Life time 使用壽命: 35000h



Model 產品型號: LEDD12  
Product size(Φ×L) 尺寸規格: 60×250mm  
Input voltage 輸入電壓: AC100~230V  
Power 功率: 11.5W  
LED category LED類別: SMD3528  
LED quantity LED數量: 176pcs  
Light color optional: warm white/are white /cold white  
光顏色可選: 暖白/正白/冷白  
Color temperature 色溫: 2800~3500K/4500~5500K  
/6500~7500K  
Luminous flux 光通量: 750~950Lm  
LED view angle 發光角度: 100°  
Shell 外殼: PC94V0+鋁 Aluminum  
Chimney materials 燈罩材料: PC/Glass PC/玻璃  
Inset hole size 嵌孔尺寸: Φ205mm  
Working temperature 工作溫度: -30~50℃  
Life time 使用壽命: 35000h





# LED 日光燈管系列 LED Tube Series


通過國家級檢驗 更省電 更明亮 更穩定  
Pass the regulation of government and more saving brighter and stable



Model 產品型號: LEDT03  
Product size(Φ×L) 尺寸規格: 26×330mm  
Input voltage 輸入電壓: AC85~260V  
Power 功率: 4.7W  
LED category LED類別: SMD3528  
LED quantity LED數量: 66pcs  
Light color optional: warm white /cold white  
光顏色可選: 暖白/冷白  
Color temperature 色溫: 2700~3500K/6500~7500K  
Transparent PC flux 透明PC光通量: 310/405Lm  
Light diffusion PCflux 光擴散PC光通量: 280/365Lm  
LED view angle 發光角度: 110°  
Materials 材質: PC+鋁 Aluminum  
Life time 使用壽命: 35000h  
Packing Q'ty 包裝數量: 24  
Packing size 包裝尺寸: 404×295×225mm



Model 產品型號: LEDT06  
Product size(Φ×L) 尺寸規格: 26×600mm  
Input voltage 輸入電壓: AC85~260V  
Power 功率: 7W  
LED category LED類別: SMD3528  
LED quantity LED數量: 105pcs  
Light color optional: warm white /cold white  
光顏色可選: 暖白/冷白  
Color temperature 色溫: 2700~3500K/6500~7500K  
Transparent PC flux 透明PC光通量: 495/648Lm  
Light diffusion PCflux 光擴散PC光通量: 446/580Lm  
LED view angle 發光角度: 110°  
Materials 材質: PC+鋁 Aluminum  
Life time 使用壽命: 35000h  
Packing Q'ty 包裝數量: 24  
Packing size 包裝尺寸: 660×295×225mm



Model 產品型號: LEDT09  
Product size(Φ×L) 尺寸規格: 26×600mm  
Input voltage 輸入電壓: AC85~260V  
Power 功率: 11.5W  
LED category LED類別: SMD3528  
LED quantity LED數量: 144pcs  
Light color optional: warm white /cold white  
光顏色可選: 暖白/冷白  
Color temperature 色溫: 2700~3500K/6500~7500K  
Transparent PC flux 透明PC光通量: 680/890Lm  
Light diffusion PCflux 光擴散PC光通量: 610/795Lm  
LED view angle 發光角度: 110°  
Materials 材質: PC+鋁 Aluminum  
Life time 使用壽命: 35000h  
Packing Q'ty 包裝數量: 24  
Packing size 包裝尺寸: 660×295×225mm





# LED 日光燈管系列 LED Tube Series

通過國家級檢驗 更省電 更明亮 更穩定  
Pass the regulation of government and more saving brighter and stable



Model 產品型號: LEDT12  
Product size(Φ×L) 尺寸規格: 30×1200mm  
Input voltage 輸入電壓: AC85~260V  
Power 功率: 13.5W  
LED category LED類別: SMD3528  
LED quantity LED數量: 209pcs  
Light color optional: warm white/cold white  
光顏色可選: 暖白/冷白  
Color temperature 色溫: 2700~3500K/6500~7500K  
Transparent PC flux 透明PC光通量: 990/1290Lm  
Light diffusion PCflux 光擴散PC光通量: 880/1150Lm  
LED view angle 發光角度: 110°  
Materials 材質: PC+鋁 Aluminum  
Life time 使用壽命: 35000h  
Packing Q'ty 包裝數量: 24  
Packing size 包裝尺寸: 1285×315×250mm



Model 產品型號: LEDT18  
Product size(Φ×L) 尺寸規格: 30×1200mm  
Input voltage 輸入電壓: AC85~260V  
Power 功率: 21.5W  
LED category LED類別: SMD3528  
LED quantity LED數量: 288pcs  
Light color optional: warm white/cold white  
光顏色可選: 暖白/冷白  
Color temperature 色溫: 2700~3500K/6500~7500K  
Transparent PC flux 透明PC光通量: 1370/1700Lm  
Light diffusion PCflux 光擴散PC光通量: 1220/1590Lm  
LED view angle 發光角度: 110°  
Materials 材質: PC+鋁 Aluminum  
Life time 使用壽命: 35000h  
Packing Q'ty 包裝數量: 24  
Packing size 包裝尺寸: 1285×315×250mm



Model 產品型號: LEDT05  
Product size(Φ×L) 尺寸規格: 15×550mm  
Input voltage 輸入電壓: AC24V  
Power 功率: 8.4W  
LED category LED類別: SMD3528  
LED quantity LED數量: 96pcs  
Light color optional: warm white/cold white  
光顏色可選: 暖白/冷白

Color temperature 色溫: 2700~3500K/6500~7500K  
Transparent PC flux 透明PC光通量: 450/590Lm  
Light diffusion PCflux 光擴散PC光通量: 408/530Lm  
LED view angle 發光角度: 110°  
Materials 材質: PC+鋁 Aluminum  
Life time 使用壽命: 35000h  
Packing Q'ty 包裝數量: 24  
Packing size 包裝尺寸: 660×295×225mm

